

May 5th, 2025

Matt Murawski Planning Commission Chair Town of Randolph 7 Summer Street Randolph, VT 05060

RE: Municipal Summary Worksheet & Energy Maps

cc: Peter G. Gregory, Executive Director, TRORC Chris Sargent, TRORC Commissioner

Mr. Murawski,

TRORC is pleased to enclose a copy of Randolph's updated Municipal Summary Worksheet and Energy Maps. This document summarizes the energy data, targets, and maps that are required by Act 174 of 2016 for inclusion in a Town Plan written to contain an "Enhanced Energy Plan."

An Enhanced Energy Plan is required for Town Plans seeking an affirmative determination of energy compliance. This is *optional* for municipalities. However, any Town Plan granted an affirmative determination of Energy Compliance will receive substantial deference in § 248 proceedings. During these proceedings, the Public Utility Commission (PUC) reviews proposed energy generation facilities for approval or disapproval. Any policies concerning the siting or operation of energy generation facilities within a Town Plan that has received substantial deference will inform the criteria applied by the PUC in their review of a proposed facility.

The data in the attached document provides analyses and targets for your municipality that TRORC derived from a variety of regional and municipal data sources. Municipalities may choose to rely on these analyses and targets to meet the municipal standards set by the Department of Public Service (PSD). Alternatively, your municipality may develop your own custom analyses and targets or supplement the analyses and targets provided by TRORC. If these options are chosen, your municipality must include all of the same analyses and targets and meet the same standards outlined in PSD's *Guidance for Regional & Municipal Enhanced Energy Planning Standards*.

The enclosed Municipal Summary Worksheet and Energy Maps can also be found on the TRORC website under your respective town page. If you have any questions about the attached document or energy planning for your community, please do not hesitate to contact us.

Sincerely,

Duffork Longique

Bryan Kovalick, Planner

Randolph

The following is an explanation of the information displayed in the Municipal Summary Worksheet for Randolph.

The intent of the Municipal Summary is to provide your municipality with energy data that meets PSD's analysis and target standards to ensure your municipality's compliance with the requirements of Act 174 and "Enhanced Energy Planning" (24 V.S.A. § 4352). The worksheet contains data that estimates current energy use and provides targets for future energy use across all sectors (transportation, heating, and electricity). It also sets a target for renewable energy generation within the municipality.

This data is meant to be a starting point for your municipality to begin planning its energy future and to talk about the changes that may need to occur within the municipality to ensure that local, regional, and state energy goals are met. This includes the goal that 90% of all energy demand be met by renewable sources by 2050 (90x50 goal).

Estimates of current energy use and targets for future energy use are reliant upon the Longrange Energy Alternatives Planning (LEAP) analysis for the region completed for PSD. To estimate the current energy use of your Town, TRORC used PDS's Municipal Consumption. This tool uses inputs of data from the American Community Survey (ACS), the Vermont Agency of Transportation (VTrans), and the Vermont Department of Labor (DoL).

Targets for both future energy use and energy generation have been generally developed using a "bottom up" method of disaggregating regional data into the municipal level using PSD's Analysis and Targets Aid. PSD also makes certain assumptions within these tools based on statewide averages for energy consumption.

The targets established here show the direction in which change needs to occur to meet local, regional, and state energy goals. It is important to remember that the targets established by LEAP represent only one way to achieve energy goals. There may be other similar pathways your municipality may choose to meet your 90x50 goal. Please keep this in mind when reviewing the worksheet.

For those towns interested in learning more about how these estimates and targets were created, or about creating their own estimates and targets, please see PSD's Guidance for Regional & Municipal Enhanced Energy Planning Standards.

Figure 1 - Data Sources

American Community Survey (ACS)

Vermont Department of Labor (DoL)

Vermont Department of Public Service (PSD)

Energy Information Administration (EIA)

Efficiency Vermont (EVT)

Long-range Energy Alternatives
Planning (LEAP)

Vermont Energy Investment Corporation (VEIC)

Vermont Agency of Transportation (VTRANS)

P a g e | 1 Randolph - 2025

Municipal Summary Worksheet

The Municipal Summary worksheet summarizes all data that is required to be in the Municipal Plan if the plan is to meet the "determination" standards established by PSD.

4A. Current Transportation Energy Use	
2022 Transportation Data	
Total Number of Internal Combustion Engine (ICE) Vehicles ¹	3,297
Total Number of Electric Vehicles (EVs) ²	49
Total Number of ICE Vehicles and EVs	3,346
Average Yearly Miles Driven per Vehicle ³	12,500
Total Miles Driven per ICE Vehicle	41,212,500
Total Miles Driven per EV	612,500
Total Miles Driven per ICE Vehicle and EV	41,825,000
Average Fuel Economy of ICE Vehicles (Miles per Gallon) ⁴	22
Average Fuel Economy of EVs (Miles per Kilowatt Hour) ⁴	3
Total Gallons of Fuel Consumed by ICE Vehicles per Year	1,873,295
Total Number of Kilowatt Hours Consumed by EVs per Year	204,167
Transportation Energy Consumed by ICE Vehicles (mmBtus) ⁴	220,991
Transportation Energy Consumed by EVs (mmBtus) ⁴	697
Transportation Energy Consumed by ICE Vehicles and EVs (mmBtus)	221,688

This table calculates the energy use and energy cost of your residents' light-duty passenger vehicles. This does not include the energy use or energy cost of medium-duty vehicles, heavy-duty vehicles, mass transit, rail, commercial vehicles, or other modes of transportation. The Average Miles per Vehicle and Realized Miles per Gallon are 2021 statewide averages for light-duty passenger vehicles in Vermont as reported in the LEAP model. The Transportation Energy Used is calculated in Million British Thermal Units (mmBtus) using PSD's LEAP Municipal Consumption Template.

Data Sources: 1. ACS 2022 5-year Estimates. 2. Efficiency Vermont. 3. VTrans, 2021. 4. LEAP Municipal Consumption Template.

Page | 2 Randolph - 2025

4A. Current Residential Heating Energy Use						
Fuel Source ¹	Number of Households ¹	Percentage of Households	Square Footage Heated ² (mmBtus)			
Gas from Bottle or Tank (propane,						
butane, liquified petroleum gas)	461	22.6%	50,710			
Electricity	134	6.6%	14,740			
Fuel Oil, Kerosene, etc.	855	41.9%	94,050			
Coal or Coke	0	0.0%	0			
Wood	468	22.9%	51,480			
Solar Energy	42	2.1%	4,620			
Other Fuel	80	3.9%	8,800			
No Fuel Used	0	0.0%	0			
Total	2,040	100.0%	224,400			

This table displays 2022 ACS 5-year Estimates for the sources of fuel for occupied residences within Randolph. The square footage heated figure is calculated in the PSD Municipal Consumption Template based on a statewide average annual heating load for residences, measured in Million British Thermal Units (mmBtus).

Data Source: 1. ACS 2022 5-year Estimates. 2. LEAP Municipal Consumption Template.

4A. Current Commercial Heating Energy Use				
Number of Commercial Establishments ¹	Total Thermal Energy Consumed by Commercial Establishments ² (mmBtus)	Average Thermal Energy Consumed by Commercial Establishments ² (mmBtus)		
170	174,091	1,024		

This table displays the number of commercial establishments within Randolph as reported by the Vermont DoL in 2022. The thermal energy estimate is calculated in the PSD Municipal Consumption Template based on a statewide average annual heating load for select commercial establishments, measured in Million British Thermal Units (mmBtus).

Data Sources: 1. VT DoL 2022. 2. LEAP Municipal Consumption Template.

Page | 3 Randolph - 2025

4A. Current Electricity Use			
Use Sector	Current Electricity Use		
Residential (MWh)	15,039		
Commercial and Industrial (MWh)	34,956		
Total (MWh)	49,995		

This table displays 2022 data from EVT for the commercial & industrial sector and residential sector within Randolph.

Data Source: EVT 2022.

4B. Residential Thermal Efficiency Targets				
	2025	2035	2050	
Weatherized for Increased Efficiency and Conservation	49%	57%	83%	

This table displays targets for the cumulative percentage of residences within Randolph that will be weatherized by the target year, thereby achieving increased thermal efficiency and energy conservation. These targets were developed using the PSD Analysis & Target Municipal Aid in the CAP Central Mitigation Scenario. To be counted, each weatherized residence will have to achieve a 25% reduction in heat energy.

Data Sources: LEAP Analysis & Target Aid. ACS 2022 5-year Estimates.

4B. Commercial Thermal Efficiency Targets				
	2025	2035	2050	
Weatherized for Increased Efficiency and Conservation	44%	32%	54%	

This table displays targets for the cumulative percentage of commercial establishments within Randolph that will be weatherized by the target year, thereby achieving increased thermal efficiency and energy conservation. These targets were developed using the PSD Analysis & Target Aid in the CAP Central Mitigation Scenario. To be counted, each weatherized commercial establishment will have to achieve a 25% reduction in heat energy.

Data Sources: LEAP Analysis & Target Aid. VT Dol.

Page | 4 Randolph - 2025

4B. Thermal Fuel Switching Targets – Heat Pumps				
2025 20				
Number of Heat Pumps used by Residences (in units)	841	2,498	4,173	
Number of Heat Pumps used by Commercial Establishments (in units)		237	239	
Total	935	2,735	4,412	

This table provides a target of the number of new heat pumps in the commercial and residential sectors of Randolph in the CAP Central Mitigation Scenario. This dataset assumes there will be 1.3 devices per residence and one device per 512 square feet of commercial floorspace based on state averages.

Data Sources: LEAP Analysis & Target Aid. ACS 2022 5-year Estimates. VT Dol.

4C. Use of Renewables - Transportation				
	2025	2035	2050	
Light Duty Electric Vehicles	5%	52%	100%	

This table shows the percentage of light duty vehicles that are electric vehicles in the target years within Randolph in the CAP Central Mitigation Scenario.

Data Source: LEAP Analysis & Target Aid. EVT 2022.

4C. Transportation Fuel Switching Target – Electric Vehicles

	2025	2035	2050
Battery Electric	155	2,037	4,771
Plug In Hybrid Vehicles	22	23	6
Total	177	2,060	4,777

This table shows the count of light duty vehicles that are electric vehicles in the target years within Randolph in the CAP Central Mitigation Scenario.

Data Source: LEAP Analysis & Target Aid. EVT 2022.

Page | 5 Randolph - 2025

4D. Electric Efficiency Targets				
	2025	2035	2050	
Cumulative Electricity Conserved – Residential (MWh)	328	2,077	4,344	

This table shows the megawatt hours (MWh) of electricity cumulatively conserved by residences within Randolph by 2025, 2035, and 2050 based on modelling completed by EVT's 2022 Energy Efficiency Market Potential Study and PSD.

Data Source: EVT 2022 Energy Efficiency Market Potential Study. PSD Potential Study Data for RPCs Tool.

4D. Renewable Energy Generation Targets				
2025 2035 2050				
Incremental Renewable Energy Generation (MWh)	25	530	6,721	
Total Renewable Energy Generation (MWh)	8,428	8,933	15,123	

This table shows targets for electric generation from renewable resources in megawatt hours (MWh) within Randolph. This table also reports the incremental generation of new renewable energy needed by each target year. This figure shows the increase in generation needed from Randolph's 2022 renewable energy generation levels.

The figures for 2035 and 2050 were developed using PSD's LEAP model. The figures for 2025 were developed by TRORC equating to a 0.3% increase from 2022 generation figures. TRORC used this approach because the LEAP model does not provide targets for 2025 renewable energy generation that are higher than the region's 2022 renewable energy generation.

Data Source: LEAP Generation Scenarios Tool.

4D. Use of Renewables - Heating				
2025 2035 2050				
Residences	30%	76%	100%	
Commercial	25%	65%	69%	

This table displays the percentage of residences and commercial establishments within Randolph using heat pumps for thermal heating by the target year.

Data Source: LEAP Analysis & Target Municipal Aid.

Page | 6 Randolph - 2025

9A. Existing Renewable Generation							
Renewable Type	MW	MWh					
Solar	4.6	5,987					
Wind	0.0	0					
Hydro	0.0	0					
Biomass	0.4	2,416					
Other	0.0	0					
Total	5.0	8,403					

This table shows existing renewable generation within Randolph for 2022, in both megawatt (MW) and megawatt hours (MWh), based on figures provided by PSD.

Data Source: PSD.

9B. Renewable Generation Potential								
Renewable Type	MW	MWh						
Ground-mounted solar	178	233,329						
Rooftop Solar	44	56,518						
Wind	12	23,159						
Biomass	0	2,416						
Hydro	0	0						
Other	0	0						
Total	234	315,423						

Renewable generation potential is based on mapping completed by TRORC that is based on the Municipal Determination Standards and associated guidance documents developed by PSD. The renewable generation potential is expressed in MW and MWh by the type of renewable resource (solar, wind, hydro, etc.).

Data Sources: PSD. TRORC.

Page | 7 Randolph - 2025

9C. Sufficient Land									
Renewable Type	Land Available	Acreage Needed to Meet 2025 Target		Acreage Needed to Meet 2035 Target		Acreage Needed to Meet 2050 Target			
	Acres	Acres	%	Acres	%	Acres	%		
Solar	1,243	32	2.6%	35	2.8%	65	5.2%		
Wind	470	1	0.1%	0	0.0%	7	1.5%		
Biomass	3	3	100.0%	3	100.0%	3	100.0%		
Hydro	0	0	0.0%	0	0.0%	0	0.0%		
Total	1,716	35	2.0%	37	2.2%	75	4.3%		

This table shows there is sufficient land within Randolph to meet the renewable generation targets based on the renewable generation potential. The 'land available' category in this table only includes prime areas for wind and lands for solar generation that have no constraints and are not part of a priority forest block.

Data Sources: These prime areas for wind and solar generation were calculated by the Vermont Center for Geographic Information. TRORC excluded the acres of priority forest blocks mapped by the Vermont Agency of Natural Resources.

Page | 8 Randolph - 2025


Existing Energy Generation


This map was created as part of a Regional Energy Planning Initiative

Created: 2025



RANDOLPH





Solar
This map shows areas of potential electricity generation from solar energy. It includes areas with good access to solar radiation and also considers other conditions that may limit the feasibility of solar energy development. These limiting factors are referred to as constraints. Areas of prime solar potential exist where the natural conditions make development feasible and no constraints are present.


These maps are designed to initially identify areas and follow-up on-site work is required to verify the areas are feasible for projects. They are subject to revision and are NOT intended to green-light or fast-track projects.


DARK GREEN Prime: No Constraints within 1 mile 3 phase power MEDUIM GREEN Prime: No Constraints no known or possible constraints present LIGHT GREEN Constraints no known but at least one or more possible constraints LIGHT GOLD: Constraints Present

Solar Energy Potential



RANDOLPH





Possible Constraints
Vernar Pools (unconfined)
Agricultural Sulis (VT Agriculturally Important Soil Units)
FEMA Special Flood Hazard Areas
Protected Lands
Act 250 Agricultural Soil Mitigation areas
Deer Wintering Areas
Hydric Soils
VT Conservation Design Layers

Deet in Mening ruses
VT Coordation Design Layers
VT Connectivity Forest Blocks - Highest Priority
Interior Forest Blocks - Highest Priority
Physical Land Blocks - Highest Priority
Riparian Areas - Highest Priority
In 2024 Priority Interior Forest Blocks were added.

Wind
This map shows areas of potential electricity generation from wind energy.
It includes areas with good access to wind and also considers other conditions that may limit the feasibility of wind energy development. These limiting factors are referred to as constraints. Areas of prime wind potential exist where the natural conditions make development feasible and no

This map was created as part of a Regional Energy Planning Initiative.

Created: 2025

This map was created as part of a Regional Energy Planning Initiative.


Created: 2025




These maps are designed to initially identify areas and follow-up on-site work is required to verify the areas are feasible for projects. They are subject to revision and are NOT intended to green-light or fast-track projects.

RANDOLPH

DARK GREEN Prime: No Constraints within 1 mile 3 phase power MEDUIM GREEN Prime: No Constraints no known or possible constraints present LIGHT GREEN Constraints no known but at least one or more possible constraints LIGHT GOLD: Constraints Present








Possible Constraints
Vernal Pools (noncoffmed)
Agricultural Soils (VT Agriculturally important Soil Units)
FEMA Special Flood Hazard Areas
Protected Lands
Act 250 Agricultural Soil Mitigation areas
Deer Wintering Areas
VT Conservation Design Layers
VT Conservation Design Layers
VT Conservation Design Layers
VT Conservation Soil Control Vision Forest Blocks - Highest Priority
Physical Land Division Forest Blocks - Highest Priority
Physical Land Division Forest Blocks - Highest Priority
In 2024 Priority Interior Forest Block were added.


Hydroelectric
Methodology: This map shows areas of resource potential for renewable energy generation from hydroelectric facilities. Sites identified are existing dams that could be developed for hydroelectric generation as well as active hydroelectric facilities. Information on existing hydroelectric facilities was obtained from the Vermont Dam Inventory and data on potential hydroelectric sites was obtained from a study conducted by Community Hydro in 2007.

HYDRO Energy Potential



RANDOLPH





Structures w/1ac buffer

High Hazard with < 50 kW Capacity

High Hazard with > 50 kW Capacity

Hydroelectric Constraint Description
* Rare and Irreplaceable Natural Areas (RINAs) are significant natural communities. They do not Include the following rank descriptions: uncommon to common breeder in VT, common to very common in VT, historic in VT, not applicable, unrankable, unrankable breeding population, and extirpated.

Biomass
Methodology: This map shows areas of potential for woody
biomass production and harvest. The map also illustrates other
conditions that may limit the feasibility of extensive harvesting of
wood for energy use. These limiting factors are referred to as
constraints. The map does not show areas where other types of
biomass, such as biomass from grasses or agricultural residue,
could be grown/harvested.

BIOMASS Energy Potential



RANDOLPH

